

# ALTERNATIVE CALCULATION METHOD (ACM) APPROVAL MANUAL

for the 2001 Energy  
Efficiency Standards for  
Nonresidential Buildings

Adopted by Commission  
April 4, 2001

**Effective Date:**

The effective date of the AB 970 Building Energy Efficiency Standards amendments shall be June 1, 2001.

April 5, 2001  
P400-01-011



Gray Davis, Governor

**Note:** “15 Day Language” revisions adopted on April 4, 2001 are marked in double underline and ~~double strikeout~~. “45 Day Language” revisions, which were adopted on January 3, 2001 as the emergency regulations and are the original “Express Terms” for the permanent adoption rulemaking, are marked in single underline and ~~single strikeout~~.

# CALIFORNIA ENERGY COMMISSION

## EFFICIENCY COMMITTEE

Robert Pernell  
*Presiding Member*

Arthur H. Rosenfeld  
*Second Member*

William Pennington  
*Project Manager*

Scott Matthews  
*Deputy Director*  
NAME OF DIVISION

Steve Larson,  
*Executive Director*

**California Energy Commission  
Assembly Bill 970 Building Energy Efficiency Standards**

**AB970  
Nonresidential Alternative Calculation Method  
Approval Manual**

**Energy Commission Publication No. P 400-01-011**

This AB 970 Nonresidential Energy Calculation Method Approval Manual includes computer programming details that computer programs used to determine compliance with the 2001 AB 970 Energy Efficiency Standards for Nonresidential Buildings must meet. This Manual was adopted at the Energy Commission's April 4, 2001 Business Meeting. This manual is used in conjunction with the Title 24 Building Energy Efficiency Standards (California Code of Regulations, Title 24, Part 6 and the Administrative Regulations, Title 24, Part 1.)

This manual was prepared by California Energy Commission staff. Neither the State of California, the California Energy Commission, nor any of their employees, contractors, or subcontractors, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process enclosed, or represents that its use would not infringe on privately-owned rights.

April 5, 2001

## TABLE OF CONTENTS

<b>CHAPTER 1. OVERVIEW OF PROCESS.....</b>	<b>1</b>
1.1 APPLICATION CHECKLIST .....	3
1.2 TYPES OF APPROVAL.....	4
1.2.1 Full Approval & Re-Approval of Alternative Calculations Methods (ACMs).....	5
1.2.2 Approval of New Features & Updates .....	5
1.3 CHALLENGES.....	6
1.4 ALTERNATIVE ACM TESTS .....	6
1.5 DECERTIFICATION OF ALTERNATIVE CALCULATION METHODS (ACMS).....	6
<b>CHAPTER 2. REFERENCE METHOD AND REQUIRED MODELING CAPABILITIES FOR ALTERNATIVE CALCULATION METHODS (ACMS) .....</b>	<b>9</b>
2.1 COMPLIANCE - REQUIRED CAPABILITIES .....	9
2.1.1 Type of Project Submittal.....	9
2.1.2 Scope of Compliance Submittal.....	10
2.1.3 New Building or Addition Alone .....	10
2.1.3.1 Partial Permit Applications.....	10
2.1.4 Climate Zone.....	12
2.1.5 Reference Year .....	12
2.1.6 Output Reports .....	12
2.1.7 Certification Testing.....	13
2.2 BUILDING SHELL - REQUIRED CAPABILITIES .....	14
2.2.1 Construction Assemblies .....	14
2.2.1.1 Construction Identifiers .....	14
2.2.1.2 Heat Capacity.....	14
2.2.1.3 Construction Types .....	15
2.2.1.4 Absorptance .....	16
2.2.1.5 Surface Emissivity .....	17
2.2.1.6 Wood Frame.....	17
2.2.1.7 Steel Frame .....	18
2.2.1.8 Masonry .....	20
2.2.1.9 Composite Walls .....	21
2.2.2 Above-Grade Envelope.....	21
2.2.2.1 Exterior Partitions .....	21
2.2.2.2 Surface Azimuth of Exterior Partitions .....	22
2.2.2.3 Surface Tilt of Exterior Partitions .....	22
2.2.2.4 Construction of Exterior Partitions .....	23
2.2.2.5 Demising Partitions.....	23
2.2.2.6 Interzone Walls .....	23
2.2.2.7 Interior Floors .....	24
2.2.2.8 Return Air Plenums .....	24
2.2.2.9 Indirectly Conditioned Spaces .....	25
2.2.2.9.1 Indirectly Conditioned Spaces Included in Directly Conditioned Space .....	25
2.2.2.9.2 Indirectly Conditioned Spaces that can be Occupied and Explicitly Modeled .....	25
2.2.2.9.3 Indirectly Conditioned Spaces that cannot be Occupied and Explicitly Modeled .....	26

2.2.2.10 Enclosed Unconditioned and Semi-Conditioned Spaces .....	27
2.2.2.11 Concrete Slab Floors on Grade.....	28
2.2.2.12 Exterior Doors .....	28
2.2.2.13 Light Mass .....	29
2.2.2.14 Fenestration products .....	30
2.2.2.14.1 Fenestration Orientation and Tilt .....	30
2.2.2.14.2 Fenestration Thermal Properties .....	30
2.2.2.14.3 Area of Fenestration in Walls & Doors .....	31
2.2.2.14.4 Window-to-Wall Ratio .....	33
2.2.2.14.5 Solar Heat Gain Coefficient of Fenestration in Walls & Doors .....	34
2.2.2.14.6 Area of Fenestration in Exterior Roofs .....	35
2.2.2.14.7 Solar Heat Gain Coefficient of Fenestration in Roofs .....	35
2.2.2.15 Overhangs .....	36
2.2.2.16 Vertical Shading Fins.....	37
2.2.2.17 Exterior Fenestration Shading Devices .....	38
2.2.2.18 Window Management.....	38
2.2.3 Below-Grade Envelope.....	39
2.2.3.1 Underground Walls .....	39
2.2.3.2 Underground Concrete Floors .....	39
2.3 BUILDING OCCUPANCY - REQUIRED CAPABILITIES .....	40
2.3.1 Occupancy Assignment .....	40
2.3.1.1 Occupancy Types .....	40
2.3.1.2 Mixed Area Occupancies .....	44
2.3.1.3 Occupant Loads .....	49
2.3.1.4 Receptacle Loads .....	49
2.3.1.5 Process Loads.....	50
2.3.1.6 Infiltration.....	50
2.3.2 Occupancy Lighting.....	51
2.3.2.1 Lighting.....	51
2.3.3 Occupancy Schedules .....	53
2.3.3.1 Schedule Types .....	53
2.3.3.2 Weekly Schedules.....	54
2.3.3.3 Holiday Schedules .....	60
2.4 BUILDING SYSTEMS & PLANTS - REQUIRED CAPABILITIES .....	60
2.4.1 Thermal Zoning .....	61
2.4.1.1 Thermal Zones .....	61
2.4.2 Heating & Cooling Equipment .....	61
2.4.2.1 Primary Systems .....	61
2.4.2.2 Cooling Equipment.....	62
2.4.2.3 Heating Equipment.....	62
2.4.2.4 Standard Design Systems .....	63
2.4.2.5 Combining Like Systems .....	70
2.4.2.6 Equipment Performance Curves (except for electric chillers) .....	71
2.4.2.7 Cooling Efficiency of DOE Covered Air Conditioners .....	71
2.4.2.8 Cooling Efficiency of Packaged Equipment not Covered by DOE Appliance Standards .....	75
2.4.2.9 Efficiency of Cooling Equipment Included in Built-up Systems .....	75
2.4.2.10 Heating Efficiency of DOE Covered Heat Pumps.....	76
2.4.2.11 Heating Efficiency of Heat Pumps not Covered by DOE Standards.....	77
2.4.2.12 Heating Efficiency of DOE Covered Fan Type Central Furnaces .....	78
2.4.2.13 Heating Efficiency Fan Type Central Furnaces not Covered by DOE Standards .....	79
2.4.2.14 Efficiency of Boilers Covered by DOE Standards .....	80
2.4.2.15 Efficiency of Boilers not Covered by DOE Standards .....	80

2.4.2.16 Air-Cooled Condensers .....	81
2.4.2.17 Electric Motor Efficiency.....	82
2.4.2.18 ARI Fan Power.....	83
2.4.2.19 Fan System Configuration .....	83
2.4.2.20 Fan System Operation .....	84
2.4.2.21 Fan Volume Control.....	84
2.4.2.22 Design Fan Power Demand.....	86
2.4.2.23 Process Fan Power.....	88
2.4.2.24 Air Economizers.....	88
2.4.2.25 Sizing Requirements.....	89
2.4.2.25.1 Cooling Loads .....	90
2.4.2.25.2 Heating Loads .....	91
2.4.2.25.3 Sizing Procedure for Systems 1, 3, 4, and 5 .....	91
2.4.2.25.4 Sizing Procedure for System 2.....	94
2.4.2.26 Modeling Default Heating and Cooling Systems .....	96
2.4.2.27 System Supply Air Temperature Control.....	98
2.4.2.28 Zone Ventilation Air .....	99
2.4.2.29 Zone Terminal Controls .....	100
2.4.2.30 Pump Energy.....	101
2.4.2.31 Chiller Characteristics .....	106
2.4.2.32 Number, Selection, and Staging of Chillers and Boilers .....	111
2.4.2.33 Performance Curves for Electric Chillers.....	112
2.4.2.34 Cooling Towers .....	115
2.4.2.35 HVAC Distribution Efficiency of Packaged Equipment .....	119
<b>2.5 SERVICE WATER HEATING - REQUIRED CAPABILITIES .....</b>	<b>120</b>
2.5.1 Nonresidential Service Water Heating.....	120
2.5.2 Energy Use of Water Heaters for Nonresidential Buildings and Residential Buildings with Combined Hydronic Systems.....	120
2.5.2.1 DOE Covered Water Heaters.....	122
2.5.2.2 Water Heaters not Covered by DOE Appliance Standards.....	123
2.5.2.3 Boilers .....	124
2.5.2.4 Unfired Indirect Water Heaters (Storage Tanks).....	124
2.5.3 Residential Water Heating Calculation Methods .....	125
<b>2.6 WEATHER DATA .....</b>	<b>125</b>
<b>2.7 REQUIRED STANDARD REPORTS .....</b>	<b>126</b>
2.7.1 Certificate of Compliance Form(s) .....	129
2.7.2 Supporting Compliance Forms.....	130
<b>CHAPTER 3. REFERENCE METHOD AND OPTIONAL MODELING CAPABILITIES FOR ALTERNATIVE CALCULATION METHODS (ACMS) .....</b>	<b>131</b>
<b>3.1 COMPLIANCE - OPTIONAL CAPABILITIES .....</b>	<b>131</b>
3.1.1 Additions & Alterations .....	132
3.1.2 Alteration or Addition Plus Altered Existing.....	132
3.1.3 Output Reports .....	132
3.1.3.1 Graphical Output .....	133
3.2 OVERVIEW OF THE MODELING PROCESS .....	133
3.3 BUILDING SHELL - OPTIONAL CAPABILITIES .....	135
3.3.1 Building Footprint.....	136
3.3.1.1 Footprint Identifiers .....	136

3.3.1.2 Floor Identifiers .....	137
3.3.1.3 Number of Floors with the Same Footprint .....	137
3.3.1.4 Footprint Area .....	137
3.3.1.5 Footprint Geometry .....	138
3.3.1.6 Geometry of Building's Interior Cavities .....	138
<b>3.3.2 Above-Grade Envelope.....</b>	<b>138</b>
3.3.2.1 Footprint Identifiers .....	138
3.3.2.2 Exterior Partitions .....	139
3.3.2.3 Rectangular Exterior Partitions.....	139
3.3.2.4 Non-Rectangular Exterior Partitions.....	139
3.3.2.5 Positions of Exterior Partitions.....	140
3.3.2.6 Positions of Fenestration Products .....	140
3.3.2.7 Self Shading .....	141
<b>3.4 BUILDING OCCUPANCY - OPTIONAL CAPABILITIES.....</b>	<b>141</b>
<b>3.4.1 Occupancy Assignment .....</b>	<b>141</b>
3.4.1.1 Occupancy Area.....	142
3.4.1.2 Occupancy Types .....	142
<b>3.4.2 Occupancy Lighting.....</b>	<b>146</b>
3.4.2.1 Lighting Controls .....	146
3.4.2.2 Light Heat to Zone .....	147
<b>3.5 BUILDING SYSTEMS &amp; PLANTS - OPTIONAL CAPABILITIES.....</b>	<b>147</b>
<b>3.5.1 Thermal Zoning .....</b>	<b>148</b>
3.5.1.1 System Areas .....	148
3.5.1.2 Thermal Zones .....	148
<b>3.5.2 Heating &amp; Cooling Equipment .....</b>	<b>153</b>
3.5.2.1 Types of HVAC Systems and Central Plants .....	153
3.5.2.2 Absorption Cooling Equipment.....	154
3.5.2.4 Heating Equipment Options .....	155
3.5.2.5 Exhaust Heat Recovery .....	155
3.5.2.6 Proposed System Types .....	156
3.5.2.7 Combined Hydronic Systems for Nonresidential Buildings.....	158
3.5.2.8 Combined Hydronic Systems for High-Rise Residential Buildings.....	158
3.5.2.9 Equipment Efficiency .....	158
3.5.2.10 Cooling Towers .....	159
3.5.2.11 Pump Controls .....	160
3.5.2.12 Fan Volume Control.....	161
3.5.2.13 Multiple Fan Volume Controls .....	162
3.5.2.14 Air Economizers.....	163
3.5.2.15 Water Side Economizers.....	164
3.5.2.16 Zone Terminal Controls .....	165
3.5.2.17 Renewables .....	166
<b>3.6 VENDOR DEFINED OPTIONAL CAPABILITIES .....</b>	<b>167</b>
<b>CHAPTER 4. ALTERNATIVE CALCULATION METHOD (ACM) DOCUMENTATION .....</b>	<b>168</b>
<b>    4.1 OVERVIEW .....</b>	<b>168</b>
<b>    4.2 MODELING GUIDELINES AND INPUT REFERENCES .....</b>	<b>169</b>
<b>    4.3 REQUIRED MODELING CAPABILITIES .....</b>	<b>169</b>
<b>4.3.1 Required Compliance Capabilities.....</b>	<b>169</b>
4.3.1.1 Format .....	169

4.3.1.2 Modeling Guidelines.....	170
4.3.1.3 Statement.....	170
4.3.1.4 Copies of ACM Compliance Documentation.....	171
4.3.1.5 Commission Approval.....	171
<b>4.3.2 Required Loads Capabilities .....</b>	<b>171</b>
4.3.2.1 Conditioned Floor Areas .....	171
4.3.2.2 Exterior Opaque Surfaces .....	171
4.3.2.3 Interior Surfaces .....	172
4.3.2.4 Materials .....	172
4.3.2.5 Construction Assemblies.....	173
4.3.2.6 Absorptance .....	173
4.3.2.7 Surface Orientation and Tilt.....	173
4.3.2.8 Heat Capacity.....	173
4.3.2.9 Exterior Doors .....	174
4.3.2.10 Exterior Walls .....	174
4.3.2.11 Underground Walls .....	174
4.3.2.12 Exterior Roofs/Ceilings.....	174
4.3.2.13 Exterior Raised Floors .....	175
4.3.2.14 Concrete Slab Floors on Grade.....	176
4.3.2.15 Underground Walls and Floors .....	176
4.3.2.16 Fenestration Products .....	176
4.3.2.17 Fenestration Orientation and Tilt.....	176
4.3.2.18 Fenestration Thermal Properties .....	177
4.3.2.19 Glazing in Exterior Walls and Shading .....	177
4.3.2.20 Area of Fenestration in Walls and Doors.....	177
4.3.2.21 Solar Heat Gain Coefficients of Fenestration in Walls and Doors.....	178
4.3.2.22 Overhangs .....	179
4.3.2.23 Vertical Shading Fins .....	179
4.3.2.24 Exterior Fenestration Shading Devices .....	179
4.3.2.25 Window Management.....	180
4.3.2.26 Glazing or Fenestration in Exterior Roofs (Skylights).....	180
4.3.2.27 Fenestration Areas of Glazing in Exterior Roofs (Skylights).....	180
4.3.2.28 Occupancy Types .....	181
4.3.2.29 Mixed Occupancies .....	182
4.3.2.30 Occupant Loads .....	183
4.3.2.31 Receptacle Loads .....	183
4.3.2.32 Process Energy .....	183
4.3.2.33 Ventilation .....	184
4.3.2.34 Water Heating.....	184
4.3.2.35 Lighting.....	184
4.3.2.36 Enclosed Unconditioned and Semi-Conditioned Spaces .....	185
4.3.2.37 Indirectly Conditioned Spaces .....	185
4.3.2.38 Light Mass .....	186
<b>4.3.3 Required Systems and Plant Capabilities.....</b>	<b>186</b>
4.3.3.1 Thermal Zones .....	186
4.3.3.2 Primary Systems .....	189
4.3.3.3 Cooling Equipment.....	189
4.3.3.4 Heating Equipment.....	189
4.3.3.5 Standard Design System Selection.....	190
4.3.3.6 Cooling Efficiency of DOE Covered Air Conditioners .....	190
4.3.3.7 Cooling Efficiency of Packaged Equipment not Covered by DOE Appliance Standards.....	190
4.3.3.8 Efficiency of Cooling Equipment Included in Built-up Systems .....	190
4.3.3.9 Heating Efficiency of DOE Covered Equipment .....	191

4.3.3.10 Heating Efficiency of Equipment Not Covered by DOE Standards.....	191
4.3.3.11 Electric Motor Efficiency.....	191
4.3.3.12 ARI Fan Power.....	191
4.3.3.13 Process Fan Power.....	191
4.3.3.14 Fan System Operations .....	191
4.3.3.15 Fan Volume Control.....	192
4.3.3.16 Design Fan Power Demand.....	192
4.3.3.17 Air Economizers .....	192
4.3.3.18 Modeling Default Heating and Cooling Systems .....	192
4.3.3.19 Combining Like Systems .....	193
4.3.3.20 System Supply Air Temperature Control.....	194
4.3.3.21 Zone Terminal Control.....	194
4.3.3.22 Pump Energy .....	195
4.3.3.23 Chiller Characteristics .....	195
4.3.3.24 Performance Curves for Electric Chillers.....	195
4.3.3.25 Air-Cooled Condensers.....	195
4.3.3.26 Cooling Towers .....	195
4.3.3.27 Service Water Heating.....	196
4.3.3.28 Duct Efficiency Calculation .....	196
<b>4.4 OPTIONAL MODELING CAPABILITIES .....</b>	<b>197</b>
<b>4.4.1 Optional Compliance Capabilities .....</b>	<b>197</b>
4.4.1.1 Additions Performance Compliance.....	197
4.4.1.2 Alterations Performance Compliance.....	198
4.4.1.3 Alternate Performance Compliance Method.....	199
<b>4.4.2 Optional Loads Capabilities .....</b>	<b>199</b>
4.4.2.1 Conditioned Floor Areas.....	199
4.4.2.2 Footprint Areas .....	200
4.4.2.3 Geometry of Building's Interior Cavities .....	200
4.4.2.4 Self Shading .....	201
4.4.2.5 Lighting Controls .....	201
4.4.2.6 Light Heat To Zone.....	201
<b>4.4.3 Optional Systems &amp; Plant Capabilities .....</b>	<b>201</b>
4.4.3.1 System Areas .....	201
4.4.3.2 Thermal Zones .....	202
4.4.3.3 Optional Systems .....	202
<b>4.5 VENDOR DEFINED OPTIONAL CAPABILITIES .....</b>	<b>202</b>
<b>4.6 COMPLIANCE FORMS .....</b>	<b>202</b>
<b>4.7 APPENDICES .....</b>	<b>203</b>
<b>CHAPTER 5. MINIMUM CONFORMANCE TESTS.....</b>	<b>204</b>
<b>5.1 OVERVIEW .....</b>	<b>204</b>
5.1.2 Climate Zones .....	206
5.1.3 Labeling Computer Runs .....	206
5.1.4 Comparison of Results.....	206
<b>5.2 REQUIRED CAPABILITIES TESTS .....</b>	<b>207</b>
5.2.1 Partial Compliance Tests - A1 Series (3 tests).....	209
5.2.2 Exterior Opaque Envelope Tests.....	210
5.2.2.1 Opaque Exterior Envelope - A2 Series (7 tests).....	210
5.2.3 Envelope Glazing Tests.....	210
5.2.3.1 Vary Window Wall Ratio - B1 Series (5 tests).....	211

5.2.3.2 Vary Glazing Types With An Overhang - B2 Series (4 tests).....	212
5.2.3.3 Display Perimeter & Skylight Tests - B3 Series (2 tests).....	212
5.2.4 Occupancy Tests.....	212
5.2.4.1 Single Occupancy Tests - C1 Series (5 tests).....	213
5.2.4.2 Mixed Occupancy Tests - C2 Series (2 tests).....	214
5.2.5 Lighting Tests - D1 Series (4 tests) .....	214
5.2.6 Ventilation Tests - E1 Series (6 tests).....	214
5.2.7 Process Loads Tests - E2 Series (6 tests) .....	215
5.2.8 HVAC System Tests - F1 Series (5 tests).....	215
5.2.9 System Sizing Tests - G1 Series (6 tests) .....	216
5.2.10 HVAC Distribution Efficiency Tests .....	217
5.3 OPTIONAL CAPABILITIES TESTS .....	218
5.3.1 OC Test Series - Compliance Options .....	218
5.3.2 O1 Test Series - Fan Powered VAV Boxes .....	219
5.3.3 O2 Test Series - Supply/Return Fan Options .....	219
5.3.4 O3 Test Series - Special Economizer Options .....	220
5.3.5 O4 Test Series - Special HVAC Control Option.....	221
5.3.6 O6 Test Series - Additional Chiller Options .....	221
5.3.7 O7 Test Series - Additional HVAC System Options .....	221
5.3.8 O8 Test Series - Optional Shading Devices.....	222
5.3.9 O9 Test Series - Evaporative Cooling Options .....	222
<b>CHAPTER 6. VENDOR REQUIREMENTS.....</b>	<b>223</b>
6.1 AVAILABILITY TO COMMISSION .....	223
6.2 BUILDING DEPARTMENT SUPPORT.....	223
6.3 USER SUPPORT .....	223
6.4 ACM VENDOR DEMONSTRATION.....	224
<b>CHAPTER 7: NON-RESIDENTIAL DUCT INSTALLATION VERIFICATION AND DIAGNOSTIC TESTING USING HOME ENERGY RATING SYSTEMS (HERS) .....</b>	<b>225</b>
7.1 VERIFIED DUCT EFFICIENCY IMPROVEMENTS .....	225
7.2 CALIFORNIA HOME ENERGY RATING SYSTEMS.....	225
7.3 HERS REQUIRED VERIFICATION AND DIAGNOSTIC TESTING.....	226
7.4 INSTALLATION CERTIFICATION .....	226
7.5 HERS VERIFICATION PROCEDURES .....	226
7.6 RESPONSIBILITIES AND DOCUMENTATION .....	226
7.6.1 Builder.....	226
7.6.2 HERS Provider and Rater.....	227
7.6.3 Building Department.....	227

## **LIST OF FIGURES**

FIGURE 2-1: STANDARD DESIGN SYSTEM SELECTION FLOWCHART .....	66
FIGURE 2-2A: SYSTEM #1 AND SYSTEM #2 DESCRIPTIONS.....	67
FIGURE 2-2B: SYSTEM #3 DESCRIPTION .....	68
FIGURE 2-2C: SYSTEM #4 DESCRIPTION.....	69
FIGURE 2-2D: SYSTEM #5 DESCRIPTION.....	70

## **LIST OF TABLES**

TABLE 2-1: OCCUPANCY ASSUMPTIONS WHEN LIGHTING PLANS ARE SUBMITTED FOR THE <u>ENTIRE</u> BUILDING OR WHEN LIGHTING COMPLIANCE IS NOT PERFORMED .....	46
TABLE 2-2: AREA OCCUPANCY ASSUMPTIONS WHEN LIGHTING PLANS ARE SUBMITTED FOR PORTIONS OR FOR THE <u>ENTIRE</u> BUILDING OR WHEN LIGHTING COMPLIANCE IS NOT PERFORMED.....	47
TABLE 2-3: SCHEDULE TYPES OF OCCUPANCIES & SUB-OCCUPANCIES.....	55
TABLE 2-4: NONRESIDENTIAL OCCUPANCY SCHEDULES .....	56
TABLE 2-5: HOTEL FUNCTION OCCUPANCY SCHEDULES.....	57
TABLE 2-6: RESIDENTIAL OCCUPANCY SCHEDULES (INCLUDING HOTEL/MOTEL GUEST ROOMS) WITH SETBACK THERMOSTAT FOR HEATING.....	58
TABLE 2-7: RESIDENTIAL OCCUPANCY SCHEDULES (INCLUDING HOTEL/MOTEL GUEST ROOMS) WITHOUT SETBACK THERMOSTAT .....	59
TABLE 2-8: MINIMUM NOMINAL EFFICIENCY FOR ELECTRIC MOTORS (%) .....	82
TABLE 2-9: PIPE HEAD MULTIPLIERS BASED ON PIPE SIZE AND FLOW AT CONNECTION TO THE COOLING TOWER.....	106
TABLE 2-10: DEFAULT CAPACITY COEFFICIENTS FOR ELECTRIC AIR-COOLED CHILLERS.....	114
TABLE 2-11: DEFAULT CAPACITY COEFFICIENTS FOR ELECTRIC WATER-COOLED CHILLERS.....	114
TABLE 2-12: DEFAULT EFFICIENCY EIR-FT COEFFICIENTS FOR AIR-COOLED CHILLERS .....	114
TABLE 2-13: DEFAULT EFFICIENCY EIR-FT COEFFICIENTS FOR WATER-COOLED CHILLERS.....	115
TABLE 2-14: DEFAULT EFFICIENCY EIR-FPLR COEFFICIENTS FOR AIR-COOLED CHILLERS.....	115
TABLE 2-15: DEFAULT EFFICIENCY EIR-FPLR COEFFICIENTS FOR WATER-COOLED CHILLERS .....	115
TABLE 2-16: CALIFORNIA CLIMATE ZONE SUMMARY.....	126
TABLE 5-1: CLIMATE ZONES TESTED.....	206
TABLE 5-2: A2 TEST SERIES SUMMARY .....	210
TABLE 5-3: F1 TEST SERIES SUMMARY .....	216